



# Combi Steam oven

OCS8678G

Installation: Built-in

Range: Elements

Main colour: Black ceramic glass

Product dimensions (HxWxD): 59,5 × 59,5 × 54,6 cm

Display Touch TFT, 5 Air Flow™ system, Pure steam system, Oven volume - 73 L, AquaClean, Steam clean, 3 level telescopic fully extendable, Sous-vide, AutoRoast, Defrost, Eco



**Display  
Touch TFT**



**5 Air Flow™  
system**



**Pure steam  
system**



**Oven volume -  
73 L**



**AquaClean**



**Steam  
clean**



**3 level  
telescopic  
fully  
extendable**



**Sous-vide**



**AutoRoast**



**Defrost**



**Eco**




## Construction & Performance

- Hot air convection
- Maximum oven temperature: 230 °C
- Meat Probe
- MultiSteam 360°

## Use & flexibility

- Interior lights (Illumination): Both sides
- Water container: 1,3 l
- Volume net (liter): 73 l
- OpenView
- Fully extendable guides
- Fully extendable telescopic guides on three levels with stop function
- Extendable rails are lockable
- Number of trays and grids: 9
- 1 Premium grill rack
- 2 Full width steam trays non-perforated
- 1 Full width steam tray perforated
- 1 Deep tray
- 2 Shallow trays
- 1 pcs 1/2 width steam tray perforated
- 1 pcs 1/3 width steam tray perforated

## Standard accessories



## Interaction & Control

- Full colour display
- Touch screen
- TFT display

## Programs

- Number of heating functions: 25
- Number of auto programmes: 160
- Lower heater
- Lower heater BIO
- Upper heater
- Lower and upper heater
- Small infra heater
- Large infra heater
- Large infra heater with ventilation
- Circular heater
- Eco function
- Lower heater and fan
- Lower heater with fan BIO
- Strong steam
- Medium steam
- Low steam
- Steam baking

- Direct steam injection
  - Defrost
  - WarmPlate
  - StayWarm
  - FastPreheat
  - STEP Bake
  - AutoRoast
- 

#### Design & integration

- Door material: Glass
  - Main colour: Black ceramic glass
  - Tinted door glass
  - Side trims
  - Adjustable feet: 4
  - Niche dimensions (HxWxD): 59 × 56 × 55 cm
- 

#### Safety & Maintenance

- Dynamic oven cooling plus - DC+
  - SoftOpen and GentleClose door hinge
  - Removable flat oven inner door glass surface
  - AquaClean function
  - Steam clean
  - Direct steam injection
  - Descaling
- 

#### Technical data





- Power consumption in off mode: 0 W
  - Time needed for the appliance to reach the applicable low power mode or condition: 15 min
  - Power consumption in standby mode - status display excluded: 0,5 W
  - Energy class: A+
  - Oven consumption (conventional operation): 0,96 kWh
  - Oven consumption (venting operation): 0,7 kWh
  - Energy consumption conventional: 0,94 kWh
  - Energy consumption forced air: 0,7 kWh
  - Connected load: 3400 W
  - Nominal current: 16 amp
  - Frequency: 50 Hz
- 

#### Dimensions

- Product dimensions (HxWxD): 59,5 × 59,5 × 54,6 cm
  - Length electrical cord: 1,5 m
  - Net weight: 51,1 kg
- 

#### Logistic information

- Dimensions of packed product (HxWxD): 70 × 66 × 70 cm
  - Gross weight: 56,3 kg
  - Product code: 507872
  - EAN code: 3838942072895
-



Elements 60 cm