



OCS8478G

Combined oven with steamer

Installation: Built-in
 Range: Elements
 Main colour: Black ceramic glass
 Product dimensions (HxWxD): 45,5 × 59,5 × 54,6 cm
 Display Touch TFT, 5 Air Flow™ system, Pure steam system, Oven volume - 50 L, AquaClean, Steam clean, 2 level telescopic fully extendable, Sous-vide, AutoRoast, Defrost, Eco



Display Touch TFT



5 Air Flow™ system



Pure steam system



50 LITRE Oven volume - 50 L



AquaClean



Steam clean



2 level telescopic fully extendable



Sous-vide



AutoRoast



Defrost



ECO Eco



Construction & Performance

- Hot air convection
- Maximum oven temperature: 230 °C
- Meat Probe
- MultiSteam 360°

Use & flexibility

- Interior lights (Illumination): Both sides
- Water container: 1,3 l
- Volume net (liter): 50 l
- OpenView
- Fully extendable guides
- Fully extendable telescopic guides on two levels with stop function
- Number of trays and grids: 7
- 1 Premium grill rack
- 2 Full width steam trays non-perforated
- 1 Full width steam tray perforated
- 1 Shallow tray
- 1 pcs 1/2 width steam tray perforated
- 1 pcs 1/3 width steam tray perforated

Interaction & Control

- Full colour display
- Touch screen
- TFT display

Programs

- Number of heating functions: 25
- Number of auto programmes: 160
- Lower heater BIO
- Upper heater
- Lower and upper heater
- Small infra heater
- Large infra heater
- Large infra heater with ventilation
- Circular heater
- Eco function
- Lower heater and fan
- Lower heater with fan BIO
- Strong steam
- Medium steam
- Low steam
- Steam baking
- Direct steam injection
- Defrost
- WarmPlate
- StayWarm
- FastPreheat
- STEPbake
- AutoRoast

Standard accessories



Design & integration

- Door material: Glass
 - Main colour: Black ceramic glass
 - Tinted door glass
 - Side trims
 - Adjustable feet: 4
 - Niche dimensions (HxWxD): 45 × 56 × 55 cm
-

Safety & Maintenance

- Dynamic oven cooling plus - DC+
 - SoftOpen and GentleClose door hinge
 - Removable flat oven inner door glass surface
 - AquaClean function
 - Steam clean
 - Direct steam injection
 - Descaling
-

Technical data

- Energy consumption in standby mode: 1 W
 - Energy class: A+
 - Oven consumption (conventional operation): 0,82 kWh
 - Oven consumption (venting operation): 0,62 kWh
 - Energy consumption conventional: 0,82 kWh
 - Energy consumption forced air: 0,62 kWh
 - Connected load: 2900 W
 - Frequency: 50 Hz
-

Dimensions

- Product dimensions (HxWxD): 45,5 × 59,5 × 54,6 cm
 - Net weight: 40,1 kg
-

Logistic information

- Dimensions of packed product (HxWxD): 55 × 66 × 70 cm
 - Gross weight: 44,8 kg
 - Product code: 507874
 - EAN code: 3838942072918
-

