



## Combi steam oven - Elements

### OCS8478G

Installation: Built-in

Range: Elements

Medium

Main colour: Black ceramic glass

Product dimensions (HxWxD): 45,5 x 59,5 x 54,6 cm

Display Touch TFT, 5 Air Flow™ system, Pure steam system, Oven volume - 50 L, AquaClean, Steam clean, 2 level telescopic fully extendable, Sous-vide, AutoRoast, Defrost, Eco

3590 SFr.

Price (incl. VAT, excl. ARF)

A+



**Display  
Touch TFT**



**5 Air Flow™  
system**



**Pure steam  
system**



**Oven volume -  
50 L**



**AquaClean**



**Steam  
clean**



**2 level  
telescopic  
fully  
extendable**



**Sous-vide**



**AutoRoast**



**Defrost**



**Eco**

#### Construction & Performance

- SilverMatte
- Hot air convection
- Maximum oven temperature: 230 °C
- Meat Probe
- MultiSteam 360°

#### Use & flexibility

- Interior lights (Illumination): Both sides
- Water container: 1,3 l
- Volume net (liter): 50 l
- OpenView
- Fully extendable guides
- Fully extendable telescopic guides on two levels with stop function
- Number of trays and grids: 7
- 1 Premium grill rack
- 2 Full width steam trays non-perforated
- 1 Full width steam tray perforated
- 1 Shallow tray
- 1 pcs 1/2 width steam tray perforated
- 1 pcs 1/3 width steam tray perforated
- Number of interior lights: 2

#### Interaction & Control

- Full colour display
- Touch screen
- TFT display

#### Programs

- Number of heating functions: 25
- Number of auto programmes: 160
- Lower heater BIO
- Upper heater
- Lower and upper heater
- Small infra heater
- Large infra heater
- Large infra heater with ventilaton
- Circular heater
- Eco function
- Lower heater and fan
- Lower heater with fan BIO
- Strong steam
- Medium steam
- Low steam

#### Standard accessories



FORS AG  
Schaftenholzweg 8  
2557 Studen BE  
Tel. 032 374 26 26, info@fors.ch

**ASKO**  
Inspired by Scandinavia

- Steam baking
- Direct steam injection
- Defrost
- WarmPlate
- FastPreheat
- STEPBake
- AutoRoast

---

#### Design & integration

- Door material: Glass
- Main colour: Black ceramic glass
- One piece metal handle
- Tinted door glass
- Side trims
- Adjustable feet: 4
- Niche dimensions (HxWxD): 45 × 56 × 55 cm

---

#### Safety & Maintenance

- Dynamic oven cooling plus - DC+
- Door glass: Triple glazed oven door with double heat deflector (UltraCoolDoor)
- SoftOpen and GentleClose door hinge
- Removable flat oven inner door glass surface
- AquaClean function
- Direct steam injection
- Descaling
- Steam clean

---

#### Technical data

- Energy consumption in standby mode: 1 W
- Energy class: A+
- Oven consumption (conventional operation): 0,82 kWh
- Oven consumption (venting operation): 0,62 kWh
- Energy consumption conventional: 0,82 kWh
- Energy consumption forced air: 0,62 kWh
- Connected load: 2900 W
- Voltage (V): 220-240 V
- Frequency: 50 Hz

---

#### Dimensions

- Product dimensions (HxWxD): 45,5 × 59,5 × 54,6 cm
- Net weight: 40,1 kg

---

#### Logistic information

- Dimensions of packed product (HxWxD): 55 × 66 × 70 cm
  - Gross weight: 44,8 kg
  - Product code: 507874
  - EAN code: 3838942072918
-

