



OCSM8478G

Oven with microwaves and steam

Type of display: Touch Screen Display
 Installation: Built-in
 Medium
 Main colour: Black ceramic glass
 Product dimensions (HxWxD): 45,5 × 59,5 × 54,6 cm
 Display Touch TFT, 5 Air Flow™ system, Pure steam system, Oven volume - 50 L , 5-in-1, AquaClean, Sous-vide, AutoRoast, Defrost, Eco



Display
Touch TFT



5 Air Flow™
system



Pure steam
system



50
LITRE
Oven volume -
50 L



5-in-1



AquaClean



Sous-vide



AutoRoast



Defrost



ECO Eco



Construction & Performance

- SilverMatte
- Maximum oven temperature: 230 °C
- MultiSteam 360°
- Microwave power: 1000 W

Use & flexibility

- Interior lights (Illumination): Both sides
- Water container: 1,3 l
- Volume net (liter): 50 l
- Available baking levels: 4
- OpenView
- Wire guides
- 1 Premium grill rack
- 1 Glass tray
- 1 Full width steam tray non-perforated
- 1 Full width steam tray perforated
- 1 Shallow tray
- 1 pcs 1/2 width steam tray perforated
- 1 pcs 1/3 width steam tray perforated

Interaction & Control

- Knob shape: LED
- TFT display

Programs

- Lower heater BIO
- Upper heater
- Lower and upper heater
- Small infra heater
- Large infra heater
- Large infra heater with ventilaton
- Circular heater
- Eco function
- Lower heater and fan
- Lower heater with fan BIO
- Strong steam
- Medium steam
- Low steam
- Steam baking
- Direct steam injection
- Defrost
- WarmPlate
- FastPreheat
- STEPbake
- AutoRoast
- Microwaves and grill

Standard accessories



FORS AG
 Schafftenholzweg 8
 2557 Studen BE
 Tel. 032 374 26 26, info@fors.ch

ASKO
 Inspired by Scandinavia

- Microwave and hot air
 - Microwaves
-

Design & integration

- Door material: Glass
 - Main colour: Black ceramic glass
 - Niche dimensions (HxWxD): 45 × 56 × 55 cm
-

Safety & Maintenance

- Dynamic oven cooling plus - DC+
 - Door glass: Triple glazing with a protective grid
 - SoftOpen and GentleClose door hinge
 - ChildLock
 - Mechanic door safety bolt
 - Removable flat oven inner door glass surface
 - AquaClean function
 - Direct steam injection
 - Descaling
-

Technical data

- Energy consumption in standby mode: 1 W
 - Connected load: 3000 W
 - Voltage (V): 220-240 V
 - Nominal current: 16 amp
 - Frequency: 50 Hz
 - Number of phases: 1
-

Dimensions

- Product dimensions (HxWxD): 45,5 × 59,5 × 54,6 cm
 - Length electrical cord: 1,5 m
 - Net weight: 42,3 kg
-

Logistic information

- Dimensions of packed product (HxWxD): 55 × 66 × 70 cm
 - Gross weight: 47 kg
 - Product code: 731915
 - EAN code: 3838782152849
-

