



OCSM8478G

Display type: Touch Screen Display
 Installation type: Built-in
 size class: 45 cm
 Available colour: Black
 Product dimensions (HxWxD): 45,5 x 59,5 x 54,6 cm
 Display Touch TFT, 5 Air Flow System, Pure steam system, Oven volume 50l, 5 in 1, Aqua Clean, SousVide, Auto Roast, Defrost, Eco



**Display
Touch TFT**



**5 Air Flow
System**



**Pure steam
system**



**50
LITRE** **Oven volume
50l**



5 in 1



**Aqua
Clean**



SousVide



Auto Roast



Defrost



ECO **Eco**

Construction & Performance

- Maximum oven temperature: 230 °C
- Multi Steam 360
- Stirrer technology
- Microwave power: 1000 W



Use & Flexibility

- Oven lighting: Both sides
- Water container: 1,3 l
- Oven useful volume (old energy label): 50 l
- baking levels: 4
- OpenView
- 1x wire guides
- Grid
- Glass frying pan(s)
- Steam tray
- 1 full width perforated steam tray
- 1 Shallow tray
- 1/2 width perforated steam tray
- 1/3 width perforated steam tray

Standard accessories



Interaction & Control

- Knob shape: LED
- TFT display

Programs, options and modes

- Lower heater BIO
- Upper Heater
- Lower and upper heater
- Small infra heater
- Large Infra Heater
- Large infra heater with ventilation
- Circular heater
- Eco-function
- Lower heater and fan
- Lower heater with fan BIO
- Strong steam
- Medium steam
- Low steam
- Steam baking
- SousVide
- Defrost cooker
- WarmPlate
- StayWarm function
- Fast Preheat
- STEPBake
- Auto roast function
- Microwaves and grill
- Microwave and hot air
- Microwaves

Design & Integration

ASKO Appliances Pty Ltd - 35 Sunmore Close - MOORABBIN VIC 3189
 Phone: 1300 00 2756 - Fax: 03 8551 2220
 Email Address: sales@asko.com.au - <https://au.asko.com/>

ASKO
 Inspired by Scandinavia

- Door material: Glass
- Available colour: Black
- Niche dimensions (HxWxD): 45 × 56 × 55 cm

Safety & Maintenance

- Dynamic oven cooling plus - DC+
- Soft open and gentle close door hinge
- child lock
- Mechanic door safety bolt
- Removable flat oven inner door glass surface
- AquaClean function
- SousVide
- Descaling

Technical data

- Consumption in standby mode: 1 W
- Connection rating: 3000 W
- Nominal current: 16 amp
- Frequency: 50 Hz
- Number of phases: 1

Dimensions

- Product dimensions (HxWxD): 45,5 × 59,5 × 54,6 cm
- Length electrical cord: 1,5 m
- Net weight: 42,3 kg

Logistic information

- Dimensions of packed product (HxWxD): 55 × 66 × 70 cm
 - Gross weight: 47 kg
 - Product code: 731915
 - EAN code: 3838782152849
-

