



DFS244IB.S

General description

Turbo Combi Drying™ ensures dry dishes with fan assisted evacuation of moisture in combination with Auto Door Opening.

Product line: Classic

Installation: Freestanding

Size: XL, 820 mm

Number of baskets: 3

Number of place settings (label): 14 place settings

Top tray: Easy height adjustment; Dividable and removable baskets in top rack; With rack for knives and utensils; With rack for bowls and cups; With telescopic rails; Handle

Upper basket type: Premium - Basket wiring in steel, fixed pin rows and foldable wine shelves.

Lower basket type: Premium - Basket wiring in steel, fixed pin rows and removable cutlery basket.

Handle with Stainless steel logotype

Removable cutlery basket for easy loading and unloading

Main colour: Titanium

Construction & Performance

- Extra durable stainless steel container.
- Aqua Detect™ - Instant recognition of any leakage in the motor compartment.
- Stand-by water protection - Leakage detection when machine is off.
- Anti Block™ - Self cleaning drain pump.
- 8 Steel™ - Vital parts of the dishwasher made in stainless steel.
- Hidden heater
- No need to rinse the dishes thanks to Super Cleaning System™
- Sensi Clean™ Sensor - measures dirtiness level
- Automatic water-softener for better washing performance
- Number of spray arms: 3
- Number of spray zones: 9
- Jet Spray™ - Extra dishwashing power for vases, bottles and baby bottles.
- Wide Spray™ - Extra dishwashing power for pots and pans
- Automatic door opening
- Cutlery Spray™ - Extra dishwashing power for the cutlery basket

Use & flexibility

- Number of place settings (label): 14 place settings
- Number of baskets: 3
- Top tray: Easy height adjustment; Dividable and removable baskets in top rack; With rack for knives and utensils; With rack for bowls and cups; With telescopic rails; Handle
- Upper basket type: Premium - Basket wiring in steel, fixed pin rows and foldable wine shelves.
- Upper basket system: Easy height adjustable with lever
- Guide rails with ball bearings
- Lower basket type: Premium - Basket wiring in steel, fixed pin rows and removable cutlery basket.
- Small distance between the basket threads - makes loading easy and prevents small items to fall through.
- Removable cutlery basket for easy loading and unloading
- Required inlet water pressure: 0,03-1 MPa

Interaction & Control

- Type of display: LCD display
- Ability to create own programmes: Memory programme
- Number of programs: 7
- Number of options: 7
- Time remaining indicator: Front display
- Wash end indication: Displayed with sound and light
- Available languages in control unit: DA, DE, EN, ES, EE, FI, FR, HR, IT, JP, LT, LV, NL, NO, PL, PT, RU, SL, SV, ZH, ZH-CN

Programs

- 7 programmes: Auto; Quick; Intensive; Eco; Hygiene; Time program; Rinse & hold
- Delayed start: Possible to delay up to 24 hours
- Speed mode - The program time is shortened. More energy is used.
- Night mode - Lower noise level. The program time is extended.
- Extra dry - Improves the drying result
- High temperature - For extra dirty dishes
- Super Rinse™ - Two extra rinses.

Design & integration

- Integrated anti-siphon - Prevents spontaneous in- and outlet of water and simplifies elevated installation
 - Height setting: 50 mm
-

Safety & Maintenance

- Tip guard
 - Aqua Safe™ system - Multiple safety systems preventing water damages.
 - Kid Safe™ - Lockable controls
 - Indication of low level of rinse-aid: Notification in display
 - Salt refill indicator: Salt refill indicator
-

Technical data

- Size 3/4" - Can be connected to hot and cold water
 - Max. temperature of incoming water: 70 °C
 - Noise level: 42 dB(A)re 1 pW
 - Duration of label wash cycle: 270 min
 - Estimated annual energy consumption: 237 kWh
 - Energy consumption - normal program: 0,83 kWh
 - Estimated annual water consumption: 2772 l
 - Water consumption - label program: 9,9 l
 - Energy consumption in off mode: 0,49 W
 - Energy consumption in standby mode: 0,49 W
 - Energy class: A+++
 - Plug type: Euro
 - Connected load: 1900 W
 - Number of phases: 1
 - Fuse: 10 amp
 - Frequency: 50 Hz
 - Required inlet water pressure: 0,03-1 MPa
 - Net weight: 70 kg
-

Dimensions

- Width: 600 mm
 - Height: 861 mm
 - Depth: 596 mm
 - Maximum product height: 911 mm
 - Length electrical cord: 1825 mm
 - Length inlet hose: 163 cm
 - Length outlet hose: 200 cm
-

Logistic information

- Packaging width: 640 mm
 - Packaging height: 975 mm
 - Packaging depth: 680 mm
 - Gross weight: 77,5 kg
 - Product code: 732448
 - EAN code: 3838782303142
-

