



Washing Machine Logic

W4086P.W

General description

Product group: Washing Machine
 Installation: Freestanding
 Loading capacity: 8 kg
 Spin speed: 1600 rpm
 23 programmes
 Energy class: A
 Main colour: White



Programs

- Cotton
- Mix/synthetics
- Wool/hand program
- Universal
- Dark wash
- Time program 20min - 2h
- Auto
- Quick
- Heavy
- Rinse
- Spin
- Drain
- Easy care
- Drum cleaning
- Jeans
- Shirts
- Hygiene
- Bedding
- Quick Pro
- Anti-Allergy Cotton
- Anti-Allergy Synthetics
- Steam refresh
- Eco 40–60 °C

Options

- Adjustable spin speed: Adjustable spin speed
- Super Rinse™ - extra rinses added.
- Super wash
- High water level
- Prewash
- Anti-crease

Modes

- Normal - No changes to the program, Green - Saves water and energy, program time slightly longer, Allergy mode, Speed - More water and energy used to ensure a clean laundry in shorter time, Intensive - Improved cleaning with more water and energy, temperature is kept at high level for longer time

Construction & Performance

- Quattro Construction™ – vibration-free spinning
- Door: Steel Seal™ - hygienic door sealing
- Long lasting stainless steel drum
- Active Drum™ - for a careful yet effective wash cycle.
- Heater power: 2000 W
- Precise temperature control (max deviation: +/- 1 °C)
- Water level sensor
- Drum volume: 60 l
- Durable brushless motor

Use & flexibility

FORS AG
 Schaftenholzweg 8
 2557 Studen BE
 Tel. 032 374 26 26, info@fors.ch

ASKO
 Inspired by Scandinavia

- Easy close door
- Yes, possible to use both liquid and powder detergent
- Temperature range: Cold-90°C
- Door diameter: 31 cm
- Door opening angle: 110 °
- Dose assist

Interaction & Control

- Delayed Start
- Remaining time indicator
- Type of display: LCD
- 23 programmes
- Available languages in control unit: CZ, DA, DE, EN, ES, EE, FI, FR, HR, IT, JP, LT, LV, NL, NO, PL, RU, SK, SL, SV, ZH, ZH-CN

Design & integration

- Default door opening: Left
- Adjustable feet: 10 mm
- ASKO tumble dryer can be mounted on top of the washer
- 3/4" Cold water connection
- Loading position: Front

Safety & Maintenance

- Removable lifters for easy cleaning
- Waterproof bottom plate
- Maximized water inlet time
- PEX inlet hose
- Drain system: Anti Block™ - drain pump
- Overflow protection
- Emergency door opening key
- Child lock on display
- Unbalance detection - protects the washer against harmful vibrations.
- Draining capacity: 20 l/min
- Overheat protection
- Thermal and electronic protection against overheating
- Pro Wash system - extra effective washing and rinsing

Technical data

- Spin drying efficiency class: A
- Moisture remaining: 44 / 44 / 44
- Heater power: 2000 W
- Drum volume: 60 l
- 3/4" Cold water connection
- Counter weight material: Cast iron
- Counter weight (kg): 10,4 kg
- Noise level spinning: 76 dB(A)re 1 pW
- Noise spinning class: B
- Energy consumption per 100 cycles: 47 kWh
- Energy consumption per cycle for the Eco program 40–60 °C: 0,47 kWh
- Water consumption per cycle for the Eco program 40–60 °C: 46 l
- Consumption in off mode: 0,3 W
- Consumption in standby mode: 0,3 W
- Energy class: A
- Connected load: 2200 W
- Number of phases: 1
- Fuse: 10 amp
- Frequency: 50 Hz
- Net weight: 75,5 kg
- ISO 14001

Dimensions

- Product dimensions (HxWxD): 85 × 59,5 × 58,5 cm
- Depth with door open: 942 mm
- Length electrical cord: 2,1 m
- Length inlet hose: 150 cm
- Length outlet hose: 160 cm

Logistic information

- Dimensions of packed product (HxWxD): 92 × 64 × 66,1 cm
 - Gross weight: 78,7 kg
 - Product code: 738297
 - EAN code: 3838782497612
 - Market: Domestic
 - Range: Logic
-