



Combi steam oven - Elements OCS8478GG

Installation: Built-in
Medium

Main colour: Grey

Product dimensions (HxWxD): 45,5 × 59,5 × 54,6 cm

Display Touch TFT, 5 Air Flow™ system, Pure steam system, Oven volume - 50 L, AquaClean, 2 level telescopic fully extendable, Sous-vide, AutoRoast, Defrost, Eco

3690 SFr.

Price (incl. VAT, excl. ARF)

A⁺



**Display
Touch TFT**



**5 Air Flow™
system**



**Pure steam
system**



**Oven volume -
50 L**



AquaClean



**2 level
telescopic
fully
extendable**



Sous-vide



AutoRoast



Defrost



Eco

Construction & Performance

- SilverMatte
- Maximum oven temperature: 230 °C
- Meat Probe
- MultiSteam 360°

Use & flexibility

- Interior lights (Illumination): Both sides
- Water container: 1,3 l
- Volume net (liter): 50 l
- OpenView
- Fully extendable guides
- Fully extendable telescopic guides on two levels with stop function
- 1 Premium grill rack
- 2 Full width steam trays non-perforated
- 1 Full width steam tray perforated
- 1 Shallow tray
- 1 pcs 1/2 width steam tray perforated
- 1 pcs 1/3 width steam tray perforated

Interaction & Control

- TFT display

Programs

- Lower heater BIO
- Upper heater
- Lower and upper heater
- Small infra heater
- Large infra heater
- Large infra heater with ventilation
- Circular heater
- Eco function
- Lower heater and fan
- Lower heater with fan BIO
- Strong steam
- Medium steam
- Low steam
- Steam baking
- Direct steam injection
- Defrost
- WarmPlate
- FastPreheat
- STEPBAke
- AutoRoast

Design & integration

- Door material: Glass
- Main colour: Grey
- Adjustable feet: 4
- Niche dimensions (HxWxD): 45 × 56 × 55 cm

Safety & Maintenance

- Dynamic oven cooling plus - DC+
- Door glass: Triple glazed oven door with double heat deflector (UltraCoolDoor)
- SoftOpen and GentleClose door hinge
- Removable flat oven inner door glass surface
- AquaClean function
- Direct steam injection
- Descaling

Technical data

- Energy consumption in standby mode: 1 W
- Energy class: A+
- Oven consumption (conventional operation): 0,82 kWh
- Oven consumption (venting operation): 0,62 kWh
- Energy consumption conventional: 0,82 kWh
- Energy consumption forced air: 0,62 kWh
- Connected load: 2900 W
- Voltage (V): 220-240 V
- Frequency: 50 Hz

Dimensions

- Product dimensions (HxWxD): 45,5 × 59,5 × 54,6 cm
- Net weight: 40,1 kg

Logistic information

- Dimensions of packed product (HxWxD): 55 × 66 × 70 cm
 - Gross weight: 44,8 kg
 - Product code: 741122
 - EAN code: 3838782643002
-

